

The Framingham Offspring Study

Böger RH, Sullivan LM, Schwedhelm E, Wang TJ, Maas R, Benjamin EJ, Schulze F, Xanthakis V, Benndorf RA, Vasani RS.

Plasma asymmetric dimethylarginine and incidence of cardiovascular disease and death in the community. *Circulation*. 2009; 119 (12):1592-600.

Published studies which used the ADMA-ELISA from DLD Diagnostika

1. Schulze F, Wesemann R, Schwedhelm E, Sydow K, Albsmeier J, Cooke JP, Böger RH.

Determination of ADMA using a novel ELISA assay.

Clin. Chem. Lab. Med. 2004; 42: 1377-1383

2. Krempl TK, Kähler J, Maas R, Silberhorn, Meinertz T, Böger RH.

Elevation of symmetric dimethylarginine (ADMA) in patients with unstable angina and recurrent cardiovascular events.

Eur. Heart J. 2005; 26: 1846-1851

3. Schulze F, Maas R, Freese R, Schwedhelm E, Silberhorn L, Böger RH.

Determination of a reference value for N,N-dimethyl-L-arginine in 500 subjects.

Eur. J. Clin. Invest. 2005; 35 : 622-626

4. Schnabel R, Blankenberg S, Lubos E, Lackner KJ, Rupprecht HJ, Espinola-Klein C, Jachmann N, Post F, Peetz D, Bickel C, Cambien F, Tiret L, Münzel T.

Asymmetric dimethylarginine and the risk of cardiovascular events and death in patients with coronary artery disease: results from the AtheroGene Study.

Circ. Res. 2005; 97: e53-59

5. O'Dwyer MJ, Dempsey F, Crowley V, Kelleher D, McManus R, Ryan T.

Septic shock correlates with ADMA levels which may be influenced by a polymorphism in DDAH II: a prospective observational study.

Crit. Care 2006; 10 (5): R139

6. Antoniadou C, Tousoulis D, Marinou K, Vasiliadou C, Tentolouris C, Bouras G, Pitsavos C, Stefanidis C.

Asymmetrical dimethylarginine regulates endothelial function in methionine-induced but not in chronic homocystinemia in humans: effect of oxidative stress and proinflammatory cytokines

Am. J. Clin. Nutr. 2006; 84: 781-788

7. Wang TZ., Chen WJ., Cheng WC., Lin JW., Chen MF., Lee YT.

Relation of improvement in endothelium-dependent flow-mediated vasodilation after Rosiglitazone to changes in asymmetric dimethylarginine, endothelin-1, and C-reactive protein in nondiabetic patients with the metabolic syndrome

Am. J. Cardiol. 2006; 9: 1057-1062

8. Wanby P., Nilsson I., Brudin L., Nyhammar I., Gustafsson I., Carlsson M.

Increased plasma levels of asymmetric dimethylarginine in patients with carotid stenosis: no evidence for the role of the common FABBP2 A54T gene polymorphism

Acta Neurol. Scand. 2007; 115: 90-96

9. Konishi H, Sydow K, Cooke JP.

Dimethylarginine dimethylaminohydrolase promotes endothelial repair after vascular injury

J. Am. Coll. Cardiol. 2007; 49: 1099-1105

10. Iribarren C, Husson G, Sydow K, Wang BY, Sidney S, Cooke JP.

Asymmetric dimethyl-arginine and coronary artery calcification in young adults entering middle age: the CARDIA Study

Eur. J. Cardiovasc. Prev. Rehabil. 2007; 14:222-229

11. Melikian N, Wheatcroft SB, Ogah OS, Murphy, Chowienczyk PJ, Wierzbicki AS, Sanders TA, Jiang B, Duncan ER, Shah AM, Kearney MT.
Asymmetric dimethylarginine and reduced nitric oxide bioavailability in young Black African men
Hypertension 2007; 49: 873-877
12. Horowitz JD, Heresztyn T.
An overview of plasma concentrations of asymmetric dimethylarginine (ADMA) in health and disease and in clinical studies: methodological considerations.
Chromatogr. B. Analyt. Technol. Biomed. Life Sci. 2007; 851: 42-50
13. Konukoglu D, Uzun H, Firtina S, Cigdem Arica P, Kocael A, Taskin M. Plasma adhesion and inflammation markers: asymmetrical dimethyl-L-arginine and secretory phospholipase A2 concentrations before and after laparoscopic gastric banding in morbidly obese patients.
Obes Surg. 2007; 17: 672-678
14. Siroka R, Trefil L, Rajdl D, Racek J, Cibulka R.
Asymmetric dimethylarginine – comparison HPLC and ELISA method (Letter to the Editor)
J. Chromatogr. 2007; B850: 586-587
15. Tsukahara H., Ohta N., Tokuriki S., Nishijima K., Kotsuji F., Kawakami H., Ohta N., Sekine K., Nagasaka H., Mayumi M.
Determination of asymmetric dimethylarginine, an endogenous nitric oxide synthase inhibitor, in umbilical blood.
Metabolism Clin. Exp. 2007; 57: 215-220
16. Korish AA, Arafah MM.
Catechin combined with vitamins C and E ameliorates insulin resistance (IR) and atherosclerotic changes in aged rats with chronic renal failure (CRF)
Arch. Gerontol. Geriatr. 2008; 46: 25-39
17. Charitidou C, Farmakiotis D, Zournatzi V, Pidonia I, Pegiou T, Karamanis N, Hatzistilianou M, Katsikis I, Panidis D.
The administration of estrogens, combined with anti-androgens, has beneficial effects on the hormonal features and asymmetric dimethyl-arginine levels, in women with the polycystic ovary syndrome
Atherosclerosis 2008; 196: 958-965
18. Pamichi V, Mantuano E, Paoletti S, Santi S, Rizza GM, Cutrupi S., Pizzini P, Spoto B., Tripepi G, Zoccali C.
Effect of simvastatin on plasma asymmetric dimethylarginine concentration in patients with chronic kidney disease
J. Nephrol. 2008; 21: 38-44
19. Jacobi J, Maas R, Cordasic N, Koch K, Schmieler RE, Böger RH, Hilgers KF.
Role of asymmetric dimethylarginine for angiotensin II-induced target organ damage in mice
Am. J. Physiol. Heart Circ. Physiol. 2008; 294: H1058-H1066
20. Wipff J., Avouac J., Borderie D., Zerkak D., Lemarechal H., Kahan A., Boileau C.
Disturbed angiogenesis in systemic sclerosis: high levels of soluble endoglin.
Rheumatology 2008; 47: 972-975
21. Galle J, Schwedhelm E, Pinetti S, Böger RH, Wanner CH
Antiproteinuric effects of angiotensin receptor blockers: telmisartan versus valsartan in hypertensive patients with type 2 diabetes mellitus and overt nephropathy
Nephrol. Dial. Transplant. 2008; 23: 3174-3183
22. Onat A, Hergenc G, Can G, Karabulut A.
Serum asymmetric dimethylarginine levels among Turks: association with metabolic syndrome in women and tendency to decrease in smokers
Türk. Kardiyol. Dern. Ars. (Arch Turk Soc Cardiol) 2008; 36: 7-13

23. Potena L, Fearon WF, Sydow K, Holweg C, Luikart H, Chin C, Weisshaar D, Mocarski ES, Lewis DB, Valantine HA, Cooke JP.
Asymmetric Dimethylarginine and Cardiac Allograft Vasculopathy Progression: Modulation by Sirolimus Transplantation 2008; 85: 827-833
24. Santilli F, Romano M, Recchiuti A, Dragani A, Falco A, Lessiani G, Fioritoni F, Lattanzio S, Mattoscio D, De Cristofaro R, Rocca B, Davi G.
Circulating endothelial progenitor cells and residual in vivo thromboxane biosynthesis in low-dose aspirin-treated polycythemia vera patients.
Blood 2008; 112: 1085-1090
25. Ferroni P, Guagnano MT, Falco A, Paoletti V, Manigrasso MR, Michetti N, Santilli F, Guadagni F, Basili S, Davi G. Association of low-grade inflammation and platelet activation in patients with hypertension with microalbuminuria.
Clin. Sci. 2008; 114: 449-455
26. El-Mallasamy HO, Abdel Hamid SG, Gad MZ.
Oxidative stress and asymmetric dimethylarginine are associated with cardiovascular complications in hemodialysis patients: Improvements by L-arginine intake.
Kidney Blood Press. Res. 2008; 31: 189-195
27. Uzun H., Konukoglu D., Besler M., Erdenen F., Sezgin C., Muderrisoglu C.
The effects of renal replacement therapy on plasma, asymmetric dimethylarginine, nitric oxide and C-reactive protein levels
Clin. Invest. Med. 2008; 31: E1-7
28. Vladmirova-Kitova L., Deneva T., Angelova E., Nikolov F., Marinov B., Mateva N.
Relationship of asymmetric dimethylarginine with flow-mediated dilatation in subjects with newly detected severe hypercholesterolemia.
Clin. Physiol. Funct. Imaging 2008; 28: 417-425
29. Cavusoglu E., Ruwende C., Chopra V., Yanamadala S., Eng C., Pinsky D.J., Marmur J.D.
Relationship of baseline ADMA levels to cardiovascular outcomes at 2 years in men with acute coronary syndrome referred for coronary angiography
Pathophysiology and natural history 2009, 20: No. 2: 112-117
30. Nagasaka H., Tsukahara H., Yorifuji T., Miida T., Murayama K., Tsuruoka T., Takatani T., Kanazawa M., Kobayashi K., Okano Y., Takayanagi M.
Evaluation of endogenous nitric oxide synthesis in congenital urea cycle enzyme defects.
Metabolism Clin. Exp. 2009; 58: 278-282
31. Nagasaka H., Okano Y., Tsukahara H., Shigematsu Y., Momoi T., Yorifuji J., Miida T., Ohura T., Kobayashi K., Saheki T., Hirano K., Takayanagi M., Yorifuji T.
Sustaining hypercitrullinemia, hypercholesterolemia and augmented oxidative stress in Japanese children with aspartate/ glutamate carrier isoform 2-citrin-deficiency even during the silent period
Mol. Genet. Metab. 2009; 97: 21-26
32. Guagnano MT, Ferroni P, Santilli F, Paoletti V, Manigrasso MR, Pescara L, Cuccurullo C, Ciabattini G, Davi G. Determinants of platelet activation in hypertensives with microalbuminuria.
Free Rad. Biol. Med. 2009; 46: 922-927
33. Sibal L, Agarwal SC, Schwedhelm E, Lüneburg N, Böger RH, Home PD. A study of endothelial function and circulating asymmetrical dimethylarginine levels in people with Type 1 diabetes without macrovascular disease or microalbuminuria.
Cardiovasc. Diabetol. 2009; 8: 27
34. Reimann M, Ziemssen T, Böger RH, Schuette AE. Ethnic-specific correlations of visfatin with circulating markers of endothelial inflammation and function.
Obesity 2009; 17: 2210-2215