

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Aquaporin-4 (AQP4) Antibody ELISA
Catalogue no: EA111/96 (12 x 8 well)

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Enzyme Immuno Assay for the Quantitative Determination of AQP4
Autoantibodies in Serum

1.3 Details of the supplier of the safety data sheet:

DLD Diagnostika GmbH
Adlerhorst 15
22459 HAMBURG, GERMANY
Phone: +49405558710; Fax: +494055587111
Email: contact@dld-diagnostika.de


1.4 Emergency telephone number:

+49405558710

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]:**

Kit Component	Hazard Classification	Hazard Statements
Streptavidin Peroxidase (SA-POD)	Skin Sensitisation, Category 1	H317
Peroxidase Substrate (TMB)	Reproductive Toxicity, Category 1B	H360

2.2 Label elements**Labelling according to Regulation (EC) No. 1272/2008 [CLP]:**

STREPTAVIDIN PEROXIDASE (SA-POD)	
Hazard pictogram	 Signal word: Warning
Hazard statement(s)	
H317	May cause an allergic skin reaction
Precautionary statement(s)	
P280	Wear protective gloves/protective clothing/eye protection/face protection
P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention
P362 + P364	Take off contaminated clothing and wash it before reuse

PEROXIDASE SUBSTRATE (TMB)

Hazard pictogram



Signal word: Danger

Hazard statement(s)

H360 May damage fertility or the unborn child

Precautionary statement(s)

P280 Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 IF exposed or concerned: Get medical advice/attention

2.3 Other Hazards

All other kit components not listed in section 2.1 and 2.2 do not contain hazardous ingredients in concentrations which meet the criteria for classification according to Regulation (EC) No. 1272/2008. However, ingestion or exposure to large amounts from improper handling can be potentially hazardous.

This kit contains both animal and human proteins and should be treated as a potential biohazard. All animal and human sera have been tested to ensure the absence of infectious agents but all materials should be handled as though capable of transmitting infectious disease and disposed of accordingly.

The following precautionary statements should be taken into consideration: P233, P270, P281, P301 + P330 + P331, P302 + P352, P304 + P340, P305 + P351 + P338 (see section 16 for full text).

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable.

3.2 Mixtures**Hazardous ingredients according to Regulation (EC) No. 1272/2008:**

PEROXIDASE SUBSTRATE (TMB)				
Ingredient(s)	CAS No.	EC No.	Classification (GHS)	Conc. (v/v)
SeramunBlau® Fast2	N/A	N/A	Repr. 1B; H360	≤100%
<i>Contains 2-pyrrolidone:</i>				
CAS No.	616-45-5			
EC No.	210-483-1			
Concentration:	1-<5%			
Classification:	Eye Irrit. 2, H319; Repr. 1B, H360			

STREPTAVIDIN PEROXIDASE (SA-POD)				
Ingredient(s)	CAS No.	EC No.	Classification (GHS)	Conc. (v/v)
Stabilzyme® HRP Conjugate Stabilizer	N/A	N/A	Skin Sens. 1; H317	>99%
<i>Contains CMIT/MIT: Mixture, 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):</i>				
CAS No. 55965-84-9				
EC No. 613-167-00-5				
Concentration: 0.0024%				
Classification: Acute Tox. 3 (Oral, Dermal & Inhalation) H301, H311 & H331; Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic chronic 1, H410				
<u>Specific Concentration Limits:</u>				
$C \geq 0.0015\%$		Skin Sens. 1, H317		
$0.06\% \leq C < 0.6\%$		Eye Irrit. 2, H319		
$0.06\% \leq C < 0.6\%$		Skin Irrit. 2, H315		
$C \geq 0.6\%$		Skin Corr. 1B, H314		

AQP4-Biotin, reconstitution buffer for AQP4-Biotin, calibrators and positive and negative controls contain animal and human proteins and should be treated as potential biohazards.

The following kit components contain ingredients which are considered hazardous but are not present in high enough concentrations to be classified under Regulation (EC) No. 1272/2008.

Kit Component	Ingredient(s)	Concentration
Reconstitution Buffer for AQP4-Biotin	Tergitol™	0.94% v/v
	Sodium azide	0.05% w/v
Diluent for SA-POD	2-Chloroacetamide	0.098 % w/v
	N-Methylisothiazolone (MIT)	0.02% w/v
Kit Component	Ingredient(s)	Concentration
Stop Solution	Sulphuric acid	0.25M (<5% v/v)
Concentrated Wash Solution	Tergitol™	0.2% v/v
Calibrators and Controls	Oxypyron	0.2% w/v
	Sodium azide	0.05% w/v

Ingredient	CAS No.	EC No.	Classification GHS/CLP
2-Chloroacetamide	79-07-2	201-174-2	Acute Tox. 3 (Oral), Skin Sens. 1, Repr. 2; H301, H317, H361f

MIT	26172-54-3	247-499-3	Acute Tox. 3 (Oral), Skin Corr. 1A, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H301, H314, H317, H400, H410
Oxypyron	822-89-9	212-506-0	Acute Tox. 4, Eye Irrit. 2, STOT SE 3; H302, H319, H335
Sodium Azide	26628-22-8	247-852-1	Acute Tox. 2 (Oral & Inhalation), Acute Tox. 1 (Dermal), STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H300, H310, H330, H373, H400, H410, EUH032
Sulphuric Acid	7664-93-9	231-639-5	Met. Corr. 1, Skin Corr. 1A; H290, H314
Tergitol™	84133-50-6	617-534-0	Acute Tox. 4 (Oral & Inhalation), Skin Irrit. 2, Eye Dam. 1; H302, H315, H318, H332

The full text for the hazard statements can be found in section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After skin contact

Wash off skin thoroughly with water for at least 15 minutes. Remove contaminated clothing. In severe cases or if skin is broken, OBTAIN MEDICAL ATTENTION.

After eye contact

Separate eyelids with fingers and flush eye with copious amounts of water for at least 15 minutes. OBTAIN MEDICAL ATTENTION.

After Inhalation

Remove from exposure, rest and keep warm. If breathing becomes difficult, OBTAIN MEDICAL ATTENTION.

After Ingestion

If patient is conscious, wash out mouth with water and give plenty of water to drink. OBTAIN MEDICAL ATTENTION.

4.2 Most important symptoms and effects, both acute and delayed

Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Not available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Use water, dry powder or foam as appropriate to supporting fire.

5.2 Special hazards arising from the substance or mixture

May evolve toxic fumes in fire. Hazardous combustion products are not known for kit components but combustion products for the ingredients listed in subsection 3.2 can be found in the following table:

Ingredient	Hazardous combustion product(s)
2-Chloroacetamide	Carbon oxides, nitrogen oxides (NOx) and hydrogen chloride gas
MIT	Carbon oxides, nitrogen oxides (NOx), sulphur oxides and hydrogen chloride gas
Oxypyron	No data available
SeramunBlau® Fast2	No known hazardous decomposition products
Sodium Azide	Nitrogen oxides (NOx)
Stabilzyme® HRP Conjugate Stabilizer	Carbon oxides and nitrogen oxides (NOx)
Sulphuric Acid	Sulphur oxides
Tergitol™	Nature of decomposition products not known

5.3 Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear appropriate protective clothing as described in subsection 8.2. Ventilate area and avoid breathing vapours, mist or gas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent any reagents from entering drains

6.3 Methods and material for containment and cleaning up

Wipe up liquid spills with absorbent paper. For solid spills, sweep up without raising dust. Once pick up is complete, wash site with detergent and water. Decontaminate with a suitable disinfectant solution.

6.4 Reference to other sections

See sections 8 and 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Material of human origin has been tested and found non-reactive for HIV 1 and 2 and HCV antibodies and HBsAg. All animal sourced material has been obtained

from animals certified as healthy and free from disease. However all potentially biohazardous components should be considered as potentially infectious. Level 2 containment should be applied.

Do not eat, drink or smoke in the laboratory. Do not pipette by mouth. Avoid skin and eye contact. Wear appropriate protective clothing as described in subsection 8.2. Avoid the use of needles or other sharp implements. Avoid prolonged or repeated exposure. Wash hands thoroughly after handling. Avoid release into drains; in case of accidental spillage, refer to section 6.

7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Store in a dry place in the box supplied at a temperature between +2 and +8°C.

7.3 Specific end use(s)

The Aquaporin-4 (AQP4) Antibody ELISA Kit is intended for professional use only and to be used solely for the purpose as specified in subsection 1.2. Refer to kit instructions for details.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters**

No occupational exposure limits exist for any kit components. However, exposure limits apply to the following ingredients (see subsection 3.2 for components containing these substances):

Value*	Control Parameters	Basis
Sodium Azide		
TWA	0.1 mg/m ³	UK: EH40 Workplace Exposure Limits (WEL)
STEL	0.3 mg/m ³	Europe: Commission Directive 2000/39/EC
Sulphuric Acid		
TWA	0.05 mg/m ³	UK: EH40 Workplace Exposure Limits (WEL) Europe: Commission Directive 2009/161/EU

*Definitions can be found in section 16

Stabilzyme® HRP Conjugate Stabilizer	
TRGS 900 Occupational exposure limit value	0.2 mg/m ³ inhalable fraction
TRGS 900 Limitation of exposure peaks	0.4 mg/m ³ inhalable fraction

8.2 Exposure controls**Appropriate engineering controls**

Good laboratory practice should be followed (see Section 7). Avoid contact with skin or eyes. Wash hands after use.

Individual protection measures (personal protective equipment)**Eye/face protection**

Chemical safety glasses or goggles conforming to appropriate government standards such as EN166 (EU) or NIOSH (US).

Skin and body protection

Chemical resistant gloves to be used in accordance with standard EN374 derived from EU Directive 89/686/EEC. Latex or vinyl gloves will provide sufficient protection. Inspect gloves for damage prior to use and change if any sign of degradation. Proper glove removal technique must be used. Wash hands after use.

The following are suitable as protective gloves:

Glove materials: Nitrile rubber

Glove Thickness: \geq 0.4 mm thickness

Permeation Time: \geq 480 min

This recommendation is advisory only and should be evaluated by the customer for suitability in their specific situation.

Respiratory protection

Local exhaust.

Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Prevent any reagents from entering drains.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Kit component	Appearance	Odour	pH	Solubility
AQP4 Coated Wells	Colourless polystyrene microplate	None	N/A	N/A
Calibrators and Controls	Pale yellow liquid	None	N/A	N/A
AQP4-Biotin	White solid	None	N/A	In water
Reconstitution Buffer for AQP4-Biotin	Pink liquid	None	\sim 8.0	N/A
Streptavidin Peroxidase (SA-POD)	Pale brown/yellow liquid	None	N/A	N/A
Diluent for SA-POD	Colourless liquid	None	\sim 7.5	N/A
Peroxidase Substrate (TMB)	Colourless to slight blue liquid	None	N/A	N/A
Stop Solution (0.25M sulphuric acid)	Colourless liquid	May be slightly sulphurous	$<$ 1.0	N/A
Concentrated Wash Solution	Colourless liquid	None	\sim 7.7	N/A

There is no information available for the following categories: odour threshold, melting/freezing point, initial boiling point/boiling range, flash point, evaporation

rate, flammability (solid, gas), upper/lower flammability or explosive limits, vapour pressure, vapour density, relative density, partition coefficient, autoignition temperature, decomposition temperature, viscosity, explosive properties or oxidising properties.

9.2 Other information

All liquid components are miscible with water in all proportions.

SECTION 10: Stability and reactivity**10.1 Reactivity**

Data is not available on the reactivity of individual kit components but is given, where available, on ingredients listed in subsection 3.2.

Sulphuric acid is a strong oxidising agent and has a corrosive effect. There is no data available on the other ingredients.

10.2 Chemical stability

All components of the Aquaporin-4 (AQP4) Antibody ELISA Kit have been found stable for stated shelf life when stored under the recommended conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known for kit components although, hazardous reactions occur for the following ingredients listed in subsection 3.2:

Ingredient	Hazardous Reaction
Sodium Azide	Risk of explosion and/or toxic gas formation exists with heavy metals, bromine, lead, chromyl chloride, dichloromethane, dimethylsulfate, halogenated hydrocarbon, acid, carbon disulphide, sulphuric acid, copper and nitric acid. Generates dangerous gases or fumes with acids and water, leading to the release of hydrazoic acid. Violent reactions possible with nitrates, benzoyl chloride and potassium nitrate.
Sulphuric Acid	Violent reactions possible with: Water, alkali metals, alkali compounds, ammonia, aldehydes, acetonitrile, alkaline earth metals, alkalines, acids, alkaline earth compounds, metals, metal alloys, oxides of phosphorus, phosphorus, hydrides, halogen-halogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, nitriles, organic nitro compounds, anilines, peroxides, picrates, nitrides, lithium silicide, iron (III) compounds, bromates, chlorates, amines, perchlorates and hydrogen peroxide.

10.4 Conditions to avoid

Peroxidase substrate (TMB) is light sensitive and therefore the bottle should be kept tightly closed when not in use and stored in a dark place.

Proteins, oxypyron, sodium azide, sulphuric acid and Tergitol™ are heat sensitive and storage or use at the improper temperature may compromise the integrity of the kit.

10.5 Incompatible materials

No data is known for kit components but the following data is known for ingredients listed in subsection 3.2:

Ingredient	Incompatible materials
2-Chloroacetamide	Strong oxidising agents, strong acids, strong bases and strong reducing agents
MIT	Strong oxidising agents
Oxypyron	No data available
SeramunBlau® Fast2	Strong oxidising agents and metals
Sodium Azide	Aluminium and heavy metals
Stabilzyme® HRP Conjugate Stabilizer	None known
Sulphuric Acid	Animal and vegetable tissues. Metals. Contact with metals liberates hydrogen gas.
Tergitol™	Strong acids, strong bases and strong oxidising agents

10.6 Hazardous decomposition products

No decomposition products are formed if kit is stored and used under the specified storage and handling conditions.

May evolve toxic fumes in fire. Thermal decomposition products are not known for the kit components but hazardous combustion products of the ingredients listed in subsection 3.2 can be found in subsection 5.2

SECTION 11: Toxicological information

11.1 Information on toxicological effects

The kit components have not been directly tested for their toxicological effects, therefore no information is known for these mixtures. The following toxicological data is known for ingredients listed in subsection 3.2:

(a) Acute toxicity

**Definitions can be found in section 16*

Ingredient	Measurement*	Value	Species
2-Chloroacetamide	LD ₅₀ (Oral)	138 mg/kg	Rat
MIT	LD ₅₀ (Oral)	175 mg/kg	Rat
	LC ₅₀ (Inhalation)	0.11 mg/L (4h)	Rat
	LD ₅₀ (Dermal)	246 mg/kg	Rat
Oxypyron	LD ₅₀ (Oral)	1765 mg/kg	Rat
	LD ₅₀ (Dermal)	>2000 mg/kg	Rat
Sodium Azide	LD ₅₀ (Oral)	27 mg/kg	Rat
	LC ₅₀ (Inhalation)	0.054 – 0.52 mg/L (4h)	Rat
	LD ₅₀ (Dermal)	20 mg/kg	Rabbit
Sulphuric Acid	LD ₅₀ (Oral)		
	LC ₅₀ (Inhalation)		

No data available for other ingredients listed in subsection 3.2.

(b) Skin corrosion/irritation

Ingredient	Test/Result
MIT	Skin (reconstructed human epidermis (RhE) – Corrosive
Oxypyron	Not classified base on available information. May cause skin irritation in susceptible persons
SeramunBlau® Fast2	Based on available data, classification criteria are not met
Sodium Azide	In vitro study, human skin model test – No skin irritation
Sulphuric Acid	Causes severe burns
Tergitol™	Irritating to skin

No data available for other ingredients listed in subsection 3.2.

(c) Serious eye damage/irritation

Ingredient	Test/Result
MIT	Causes serious eye damage
Oxypyron	Causes serious eye irritation
SeramunBlau® Fast2	Based on available data, classification criteria are not met
Sodium Azide	In vitro study, exposure time 4 hours – No eye irritation
Sulphuric Acid	Causes serious eye damage – risk of blindness
Tergitol™	Causes severe eye irritation

No data available for other ingredients listed in subsection 3.2.

(d) Respiratory or skin sensitisation

Ingredient	Test/Result
2-Chloroacetamide	Maximisation test, Guinea pig – May cause sensitisation by skin contact
MIT	Maximisation test, Guinea pig – Result: Positive
Oxypyron	Not classified based on available information
SeramunBlau® Fast2	Based on available data, classification criteria are not met
Sodium Azide	Sensitisation test, Mouse – Negative
Stabilzyme® HRP Conjugate Stabilizer	May cause an allergic skin reaction
Tergitol™	Patch test on human volunteers did not demonstrate sensitisation properties.

No data available for other ingredients listed in subsection 3.2.

(e) Germ cell mutagenicity

Ingredient	Test/Result
2-Chloroacetamide	Hamster, lungs – Negative Mouse, male and female - Negative
MIT	Ames test: Salmonella typhimurium – Negative, Mouse – Negative, Rat – Negative
Oxypyron	Not classified based on available information
SeramunBlau® Fast2	Based on available data, classification criteria are not met

No data available for other ingredients listed in subsection 3.2.

(f) Carcinogenicity

Ingredient	Test/Result
Oxyprion	Not classified based on available information
SeramunBlau® Fast2	Based on available data, classification criteria are not met
2-Chloroacetamide	IARC: No component of this product present at levels $\geq 0.1\%$ is identified as probable, possible or confirmed human carcinogen by IARC
MIT	
Tergitol™	

No data available for other ingredients listed in subsection 3.2.

(g) Reproductive toxicity

Ingredient	Test/Result
2-Chloroacetamide	Suspected human reproductive toxicant
Oxyprion	Not classified based on available information
SeramunBlau® Fast2	Toxic for reproduction category 1 - May damage fertility or the unborn child.

No data available for other ingredients listed in subsection 3.2.

(h) STOT-single exposure

Ingredient	Test/Result
Oxyprion	May cause respiratory irritation
SeramunBlau® Fast2	Based on available data, classification criteria are not met

No data available for other ingredients listed in subsection 3.2.

(i) STOT-repeated exposure

Ingredient	Test/Result
Oxyprion	Not classified based on available information
SeramunBlau® Fast2	Based on available data, classification criteria are not met

No data available for other ingredients listed in subsection 3.2.

(j) Aspiration hazard

Ingredient	Test/Result
Oxyprion	Not classified based on available information
SeramunBlau® Fast2	Based on available data, classification criteria are not met

No data available for other ingredients listed in subsection 3.2.

SECTION 12: Ecological information

The kit components have not been tested for their ecological effects, therefore no information is known for these mixtures. The following ecological data is known for ingredients listed in subsection 3.2:

12.1 Toxicity

*Definitions can be found in section 16

Ingredient	Toxicity to	Measurement*	Value (inc. exposure time)
2-Chloroacetamide	Fish (<i>Carassius auratus</i> (goldfish))	LC ₅₀	19.8 mg/L (96h)
	Daphnia (<i>Daphnia magna</i> (water flea))	EC ₅₀	14 mg/L (48h)
MIT	Fish (<i>Oncorhynchus mykiss</i> (rainbow trout))	LC ₅₀	4.77 mg/L (96h)
	Daphnia	EC ₅₀	2.33 mg/L (48h)

Oxyprion	(<i>Daphnia magna</i> (water flea))		
	Algae (<i>Pseudokirchneriella subcapitata</i> (green algae))	ErC ₅₀	0.289 mg/L (72h)
	Fish (<i>Oncorhynchus mykiss</i> (rainbow trout))	LC ₅₀	70.7 mg/L (96h)
Sodium Azide	Fish (<i>Lepomis macrochirus</i> (bluegill sunfish))	LC ₅₀	>97.8 mg/L (96h)
	Daphnia (<i>Daphnia magna</i> (water flea))	EC ₅₀	78.6 mg/L (48h)
	Fish (<i>Lepomis macrochirus</i> (bluegill sunfish))	LC ₅₀	0.70 mg/L (96h)
Stabilzyme® HRP Conjugate Stabilizer	Daphnia (<i>Daphnia pulex</i> (water flea))	EC ₅₀	4.2 mg/L (48h)
	Algae (mixed culture of green algae)	IC ₅₀	272 mg/L
	Microorganisms (<i>Photobacterium phosphoreum</i>)	EC ₅₀	38.5 mg/L
Stabilzyme® HRP Conjugate Stabilizer	Fish (<i>Oncorhynchus mykiss</i> (rainbow trout))	LC ₅₀	0.19 mg/L
	Daphnia & other aquatic invertebrates (<i>Crassostrea virginica</i> (eastern oyster))	EC ₅₀	0.028 mg/L
	Algae (<i>Raphidocelis subcapitata</i> (green algae))	EC ₅₀	0.018 mg/L (72h)

No data available for other ingredients listed in subsection 3.2.

12.2 Persistence and degradability

Ingredient	Test/Result
2-Chloroacetamide	Biodegradability: aerobic, exposure time 28 days Results: 94% - Readily degradable.
MIT	Biodegradability: aerobic, exposure time 28 days Results: 0% - Not readily degradable.
Oxyprion	Biodegradability: 94% - Readily degradable.
Stabilzyme® HRP Conjugate Stabilizer	Not rapidly degradable.
Tergitol™	Result: >60% - Readily biodegradable

No data available for other ingredients listed in subsection 3.2.

12.3 Bioaccumulative potential

Ingredient	Test/Result
Oxyprion	Low Pow: -0.64
SeramunBlau® Fast2	No indication of bioaccumulation potential

Sodium Azide	Partition coefficient: n-octanol/water - log Pow: 0.3 (Bioaccumulation is not expected)
Stabilzyme® HRP Conjugate Stabilizer	Log Kow: >5 (significant bioaccumulation)

No data available for other ingredients listed in subsection 3.2.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Ingredient	Test/Result
2-Chloroacetamide	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of $\geq 0.1\%$.
MIT	
Oxyprion	
Sodium Azide	
Tergitol™	

No data available for other ingredients listed in subsection 3.2.

12.6 Other adverse effects

No ecological information exists for kit components. The concentrations of ingredients listed in subsection 3.2 are below the acceptable limit for hazardous substances; the ecological risk is minimal. However, it is recommended that reagents do not enter drains in large quantities.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Chemical and biological residues are classified as special waste and as such, are covered by regulations which may vary according to location. Contact your local waste disposal authority for advice or pass to a licensed disposal company. Observe all national and local environmental regulations. Contaminated packaging should be disposed of using the same routes.

SECTION 14: Transport information

This product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

Transport of this product can be carried out at ambient temperature but in the event of delays store at 2 – 8°C with all reagents contained within the packaging provided.

14.1 UN number

Not applicable.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental hazards

Not applicable.

14.6 Special precautions for user

See sections 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

None known.

15.2 Chemical safety assessment

Not applicable.

SECTION 16: Other information

This SDS has been compiled in accordance with Commission Regulation (EC) No. 1907/2006 as amended by Commission Regulation (EU) 2015/830.

All information provided on ingredients listed in subsection 3.2 has been obtained from the appropriate chemical safety data sheets.

Full text of precautionary phrases (listed in subsection 2.3) and hazard statements (listed in subsection 3.2) according to Regulation (EC) No. 1272/2008:

P233: Keep container tightly closed.

P270: Do not eat, drink or smoke when using this product.

P281: Use personal protective equipment as required.

P301 + P330 + P331: IF SWALLOWED rinse mouth. Do NOT induce vomiting.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

H290: May be corrosive to metals.

H300: Fatal if swallowed.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H310: Fatal in contact with skin.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.
H331: Toxic if inhaled.
H332: Harmful if inhaled.
H335: May cause respiratory irritation.
H360: May damage fertility or the unborn child.
H361f: Suspected of damaging fertility.
H373: May cause damage to organs through prolonged or repeated exposure.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
EUH032: Contact with acids liberates very toxic gas.

Definitions:

LC50 = The lethal concentration of a substance that kills 50% of the test population within a designated period.

LD50 = Lethal dose for 50% of the test population.

EC50 = The effective concentration of a substance that causes adverse effects in 50% of the test population within a designated period.

ErC50 = The concentration of a substance which results in 50% reduction in growth rate of the test population relative to the control within 72 hours exposure.

IC50 = The inhibition concentration of a substance that causes a 50% inhibition of growth of the test population relative to the control within a designated period.

STEL = Short term exposure limit (15 minute reference period).

TWA = Time weighted average, long term exposure limit (8 hour reference period).

The above information is believed to be correct but does not purport to be all-inclusive and is provided for guidance only. DLD Diagnostika GmbH shall not be held liable for any damage or injury resulting from handling or from contact with the above product and assumes no responsibility to the accuracy or completeness of the data contained herein. It is the responsibility of the purchaser to ensure that laboratory workers who use this product are aware of its hazards and take all necessary precautions to prevent contact, ingestion, inhalation or any other mode of exposure.