## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

TSH Receptor Antibody ELISA Catalogue no: EA101/96 (96 well)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Detection of TSH Receptor antibodies in human serum

## 1.3 Details of the supplier of the safety data sheet:

DLD Diagnostika GmbH

Adlerhorst 15

22459 HAMBURG, GERMANY

Phone: +49405558710; Fax: +494055587111

Email: contact@dld-diagnostika.de

## 1.4 Emergency telephone number:

+49405558710

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No. 1272/2008 [CLP]:

Kit Component	Hazard Classification	Hazard
		Statements
Streptavidin Peroxidase	Skin Sensitisation,	H317
(SA-POD)	Category 1	
Peroxidase Substrate (TMB)	Reproductive Toxicity,	H360
	Category 1B	

#### 2.2 Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]:

STREPTAVIDIN PEROXIDASE (SA-POD)				
Hazard pictogram Signal word: Warning				
Hazard statem	Hazard statement(s)			
H317	May cause an allergic skin reaction			
Precautionary	Precautionary statement(s)			
P280	Wear protective gloves/protective clothing/eye protection/face protection			
P302 + P352	IF ON SKIN: Wash with plenty of soap and water			
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention			
P362 + P364	Take off contaminated clothing and wash it before reuse			

PEROXIDASE SUBSTRATE (TMB)					
Hazard pictogram	Signal word: Danger				
Hazard statem	Hazard statement(s)				
H360	May damage fertility or the unborn child				
Precautionary statement(s)					
P280	Wear protective gloves/protective clothing/eye protection/face				
	protection				
P308 + P313	IF exposed or concerned: Get medical advice/attention				

#### 2.3 Other Hazards

All other kit components not listed in section 2.1 and 2.2 do not contain hazardous ingredients in concentrations which meet the criteria for classification according to Regulation (EC) No. 1272/2008. However, ingestion or exposure to large amounts from improper handling can be potentially hazardous.

This kit contains both animal and human proteins and should be treated as a potential biohazard. All animal and human sera have been tested to ensure the absence of infectious agents but all materials should be handled as though capable of transmitting infectious disease and disposed of accordingly.

The following precautionary statements should be taken into consideration: P233, P270, P281, P301 + P330 + P331, P302 + P352, P304 + P340, P305 + P351 + P338 (see section 16 for full text).

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Hazardous ingredients according to Regulation (EC) No. 1272/2008:

PEROXIDASE SUBSTRATE (TMB)						
Ingredient(s)	CAS No. EC No.		Classification (GHS)	Conc. (v/v)		
SeramunBlau® Fast2	N/A	N/A	Repr. 1B; H360	≤100%		

## Contains 2-pyrrolidone:

CAS No. 616-45-5 EC No. 210-483-1 Concentration: 1-<5%

Classification: Eye Irrit. 2, H319; Repr. 1B, H360

Date: 11<sup>th</sup> May 2021 sds/Rev.17 Sds/Rev.17 Page 1 of 8

STREPTAVIDIN PEROXIDASE (SA-POD)						
Ingredient(s) CAS No. EC No.		EC No.	Classification (GHS)	Conc. (v/v)		
Stabilzyme® HRP Conjugate Stabilizer	N/A	N/A	Skin Sens. 1; H317	>99%		

Contains CMIT/MIT: Mixture, 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1):

CAS No. 55965-84-9 EC No. 613-167-00-5 Concentration: 0.0024%

Classification: Acute Tox. 3 (Oral, Dermal & Inhalation) H301, H311 & H331; Skin

Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Acute 1, H400; Aquatic

chronic 1, H410

Specific Concentration Limits:

 $C \ge 0.0015\%$  Skin Sens. 1, H317  $0.06\% \le C < 0.6\%$  Eye Irrit. 2, H319  $0.06\% \le C < 0.6\%$  Skin Irrit. 2, H315  $C \ge 0.6\%$  Skin Corr. 1B, H314

TSH-Biotin, reconstitution buffer for TSH-biotin, start buffer, calibrators and controls contain animal proteins and/or human proteins and should be treated as potential biohazards.

The ingredients listed for the kit components below are considered hazardous but are not present in high enough concentrations to be classified under Regulation (EC) No 1272/2008.

Kit Component	Ingredient(s)	Concentration
Reconstitution Buffer for	Tergitol™	0.1% v/v
TSH-Biotin	Sodium azide	0.04% w/v
Start Buffer	Tergitol™	0.5% v/v
	Sodium azide	0.04% w/v
Diluent for SA-POD	2-Chloroacetamide	0.04% w/v
	N-Methylisothiazolone (MIT)	0.008% w/v
Stop Solution	Sulphuric acid (0.5M)	0.5M (<5% v/v)
Concentrated Wash Solution	Tergitol™	0.5% v/v
	2-Chloroacetamide	0.05% w/v
	Antifoam A	0.01% v/v
	MIT	0.01% w/v
Calibrators and Controls	Sodium azide	0.05% w/v

Ingredient	CAS No.	EC No.	Classification	
			(GHS/CLP)	
Antifoam A	N/A	N/A	Eye Irrit. 2, STOT SE 3; <i>H</i> 319, <i>H</i> 335	

Ingredient	CAS No.	EC No.	Classification
			(GHS/CLP)
2-Chloroacetamide	79-07-2	201-174-2	Acute Tox. 3 (Oral), Skin Sens. 1, Repr. 2; H301, H317, H361f
MIT	26172-54-3		Acute Tox. 3 (Oral & Dermal), Acute Tox. 2 (inhalation), Skin Corr. 1A, Skin Sens. 1A, Aquatic Chronic1; H301, H311, H314, H317, H330, H410
Sodium Azide	26628-22-8 247-852-1 Acute Tox. 1 (Dermal), Aquatic Acute 1, Aquati <i>H300, H310, H330, H</i>		Acute Tox. 2 (Oral & Inhalation), Acute Tox. 1 (Dermal), STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H300, H310, H330, H373, H400, H410, EUH032
Sulphuric Acid	7664-93-9	231-639-5	Met. Corr. 1, Skin Corr. 1A; <i>H</i> 290, <i>H</i> 314
Tergitol™	84133-50-6	617-534-0	Acute Tox. 4 (Oral & Inhalation), Skin Irrit. 2, Eye Dam. 1; H302, H315, H318, H332

The full text for the hazard statements can be found in section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### After skin contact

Wash off skin thoroughly with water for at least 15 minutes. Remove contaminated clothing. In severe cases or if skin is broken, OBTAIN MEDICAL ATTENTION.

#### After eye contact

Separate eyelids with fingers and flush eye with copious amounts of water for at least 15 minutes. OBTAIN MEDICAL ATTENTION.

#### After Inhalation

Remove from exposure, rest and keep warm. If breathing becomes difficult, OBTAIN MEDICAL ATTENTION.

## **After Ingestion**

If patient is conscious, wash out mouth with water and give plenty of water to drink. OBTAIN MEDICAL ATTENTION.

- 4.2 Most important symptoms and effects, both acute and delayed Not available.
- **4.3 Indication of any immediate medical attention and special treatment needed**Not available.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Use water, dry powder or foam as appropriate to supporting fire.

## 5.2 Special hazards arising from the substance or mixture

May evolve toxic fumes in fire. Hazardous combustion products are not known for kit components but combustion products for the ingredients listed in subsection 3.2 can be found in the following table:

Ingredient	Hazardous Combustion Product(s)			
Antifoam A	Nature of decomposition products not known.			
2-Chloroacetamide	Carbon oxides, nitrogen oxides (NOx) and hydrogen chloride gas			
MIT	Carbon oxides, nitrogen oxides (NOx), sulphur oxides and hydrogen chloride gas			
SeramunBlau® Fast2	No known hazardous decomposition products			
Sodium Azide	Nitrogen oxides (NOx)			
Stabilzyme® HRP Conjugate Stabilizer	Carbon oxides and nitrogen oxides (NOx)			
Sulphuric Acid	Sulphur oxides			
Tergitol™	Nature of decomposition products not known			

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing as described in subsection 8.2. Ventilate area and avoid breathing vapours, mist or gas.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent any reagents from entering drains.

# 6.3 Methods and material for containment and cleaning up

Wipe up liquid spills with absorbent paper. For solid spills, sweep up without raising dust. Once pick up is complete. Wash site with detergent and water. Decontaminate with a suitable disinfectant solution.

#### 6.4 Reference to other sections

See sections 8 and 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Material of human origin has been tested and found non-reactive for HIV 1 and 2 and HCV antibodies and HBsAg. All animal sourced material has been obtained

from animals certified as healthy and free from disease. However all potentially biohazardous components should be considered as potentially infectious. Level 2 containment should be applied.

Do not eat, drink or smoke in the laboratory. Do not pipette by mouth. Avoid skin and eye contact. Wear appropriate protective clothing as described in subsection 8.2. Avoid the use of needles or other sharp implements. Avoid prolonged or repeated exposure. Wash thoroughly after handling. Avoid release into drains; in case of accidental spillage, refer to section 6.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Store in a dry place in the box supplied at a temperature between +2 and +8°C.

## 7.3 Specific end use(s)

The TSH Receptor Antibody ELISA kit is intended for professional used only and to be used solely for the purpose as specified in subsection 1.2. Refer to kit instructions for details.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

No occupational exposure limits exist for any kit components. However, exposure limits apply to the following ingredients (see subsection 3.2 for components containing these substances):

Value*	Control Parameters	Basis		
Sodium Azide				
TWA	0.1 mg/m <sup>3</sup>	UK: EH40 Workplace Exposure Limits (WEL)		
STEL	0.3 mg/m <sup>3</sup>	Europe: Commission Directive 2000/39/EC		
Sulphuric Acid				
TWA	0.05 mg/m <sup>3</sup>	UK: EH40 Workplace Exposure Limits (WEL)		
		Europe: Commission Directive 2009/161/EU		

Stabilzyme® HRP Conjugate Stabilizer			
TRGS 900 Occupational exposure limit value 0.2 mg/m³ inhalable fraction			
TRGS 900 Limitation of exposure peaks	0.4 mg/m <sup>3</sup> inhalable fraction		

\*Definitions can be found in section 16

# 8.2 Exposure controls

## Appropriate engineering controls

Good laboratory practice should be followed (see Section 7). Avoid contact with skin or eyes. Wash hands after use.

## Individual protection measures (personal protective equipment) Eye/face protection

Chemical safety glasses or goggles conforming to appropriate government standards such as EN166 (EU) or NIOSH (US).

## Skin and body protection

Chemical resistant gloves to be used in accordance with standard EN374 derived from Regulation (EU) 2016/425. Inspect gloves for damage prior to use and change if any sign of degradation. Proper glove removal technique must be used. Wash hands after use.

The following are suitable as protective gloves:

Glove materials: Nitrile rubber

Glove Thickness: >= 0.4 mm thickness

Permeation Time: >= 480 min

This recommendation is advisory only and should be evaluated by the customer for suitability in their specific situation.

## **Respiratory protection**

Local exhaust.

## **Environmental exposure controls**

Prevent further leakage or spillage if safe to do so. Prevent any reagents from entering drains.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Kit component	Appearance	Odour	рН	Solubility
TSH Receptor Coated Wells	Colourless polystyrene microplate	None	N/A	N/A
TSH-Biotin	White solid	None	N/A	In water
Reconstitution Buffer for TSH-Biotin	Pink liquid	None	~7.8	N/A
Streptavidin Peroxidase (SA-POD)	Pale brown liquid	None	N/A	N/A
Diluent for SA-POD	Colourless liquid	None	~7.5	N/A
Peroxidase Substrate (TMB)	Colourless to slight blue liquid	None	N/A	N/A
Start Buffer	Yellow liquid	None	~7.8	N/A
Stop Solution (0.5M sulphuric acid)	Colourless liquid	May be slightly sulphurous	<1.0	N/A
Concentrated Wash Solution	Colourless liquid	None	~7.8	N/A

Kit component	Appearance	Odour	рН	Solubility
Calibrators and Controls	Colourless to pale yellow liquid	None	N/A	N/A

There is no information available for the following categories: odour threshold, melting/freezing point, initial boiling point/boiling range, flash point, evaporation rate, flammability (solid, gas), upper/lower flammability or explosive limits, vapour pressure, vapour density, relative density, partition coefficient, autoignition temperature, decomposition temperature, viscosity, explosive properties or oxidising properties.

#### 9.2 Other information

All liquid components are miscible with water in all proportions.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Data is not available on the reactivity of individual kit components but is given, where available, on ingredients listed in subsection 3.2.

Sulphuric acid is a strong oxidising agent and has a corrosive effect. There is no data available on the other ingredients.

#### 10.2 Chemical stability

All components of the TSH Receptor Antibody ELISA kit have been found stable for stated shelf life when stored under the recommended conditions.

## 10.3 Possibility of hazardous reactions

No hazardous reactions known for kit components although, hazardous reactions occur for the following ingredients listed in subsection 3.2:

Ingredient	Hazardous Reaction
Sodium Azide	Risk of explosion and/or toxic gas formation exists with heavy metals, bromine, lead, chromyl chloride, dichloromethane, dimethylsulfate, halogenated hydrocarbon, acid, carbon disulphide, sulphuric acid, copper and nitric acid. Generates dangerous gases or fumes with acids and water, leading to the release of hydrazoic acid. Violent reactions possible with nitrates, benzoyl chloride and potassium nitrate.
Sulphuric Acid	Violent reactions possible with: Water, alkali metals, alkali compounds, ammonia, aldehydes, acetonitrile, alkaline earth metals, alkalines, acids, alkaline earth compounds, metals, metal alloys, oxides of phosphorus, phosphorus, hydrides, halogenhalogen compounds, oxyhalogenic compounds, permanganates, nitrates, carbides, combustible substances, organic solvent, acetylidene, nitriles, organic nitro compounds, anilines, peroxides, picrates, nitrides, lithium silicide, iron (III) compounds, bromates, chlorates, amines, perchlorates and hydrogen peroxide.

Page 5 of 8

#### 10.4 Conditions to avoid

Peroxidase substrate (TMB) is light, heat and moisture sensitive, exposure to these conditions will reduce the quality of the product. Therefore the bottle should be kept tightly closed when not in use and stored in a dark place. Proteins, sodium azide, sulphuric acid and Tergitol  $^{\text{TM}}$  are heat sensitive and storage or use at the improper temperature may compromise the integrity of the kit.

## 10.5 Incompatible materials

No data is known for kit components but the following data is known for ingredients listed in subsection 3.2:

Ingredient	Incompatible Materials
Antifoam A	Strong oxidising agents and strong acids
2-Chloroacetamide	Strong oxidising agents, strong acids, strong bases and strong reducing agents
MIT	Strong oxidising agents
SeramunBlau® Fast2	Strong oxidising agents and metals
Sodium Azide	Aluminium and heavy metals
Stabilzyme® HRP Conjugate Stabilizer	None known
Sulphuric Acid	Animal and vegetable tissues. Metals. Contact with metals liberates hydrogen gas
Tergitol™	Strong acids, strong bases and strong oxidising agents

## 10.6 Hazardous decomposition products

No decomposition products are formed if kit is stored and used under the specified storage and handling conditions.

May evolve toxic fumes in fire. Thermal decomposition products are not known for the kit components but hazardous combustion products of the ingredients listed in subsection 3.2 can be found in subsection 5.2.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

The kit components have not been directly tested for their toxicological effects, therefore no information is known for these mixtures. The following toxicological data is known for ingredients listed in subsection 3.2:

## (a) Acute toxicity

11th May 2021

\*Definitions can be found in section 16

Ingredient	Measurement*	Value	Species
2-Chloroacetamide	LD <sub>50</sub> (Oral)	138 mg/kg	Rat
MIT	LD <sub>50</sub> (Oral)	175 mg/kg	Rat
	LC <sub>50</sub> (Inhalation)	0.11 mg/L (4h)	Rat
	LD <sub>50</sub> (Dermal)	246 mg/kg	Rat

TSH Receptor Antibody ELISA

Ingredient	Measurement*	Value	Species
Sodium Azide	LD <sub>50</sub> (Oral)	27 mg/kg	Rat
	LC <sub>50</sub> (Inhalation)	0.054 - 0.52 mg/L (4h)	Rat
	LD <sub>50</sub> (Dermal)	20 mg/kg	Rabbit
Sulphuric Acid	LD <sub>50</sub> (Oral)	>2140 mg/kg	Rat
	LC <sub>50</sub> (Inhalation)	>0.51 mg/L	Rat

No data available for other ingredients listed in subsection 3.2.

### (b) Skin corrosion/irritation

Ingredient	Test/Result
MIT	Skin (reconstructed human epidermis (RhE) – Corrosive
SeramunBlau® Fast2	Based on available data, classification criteria are not met
Sodium Azide	In vitro study, human skin model test – No skin irritation
Sulphuric Acid	Causes severe burns
Tergitol™	Irritating to skin

No data available for other ingredients listed in subsection 3.2.

## (c) Serious eye damage/irritation

Ingredient	Test/Result
MIT	Causes serious eye damage
SeramunBlau® Fast2	Based on available data, classification criteria are not met
Sodium Azide	In vitro study, exposure time 4 hours – No eye irritation
Sulphuric Acid	Causes serious eye damage – risk of blindness
Tergitol™	Causes severe eye irritation

No data available for other ingredients listed in subsection 3.2.

## (d) Respiratory or skin sensitisation

Ingredient	Test/Result
2-Chloroacetamide	Maximisation test, Guinea pig – May cause sensitisation by skin contact
MIT	Maximisation test, Guinea pig – Result: Positive
SeramunBlau® Fast2	Based on available data, classification criteria are not met
Sodium Azide	Sensitisation test (dermal), Mouse – Negative
Stabilzyme® HRP	May cause an allergic skin reaction
Conjugate Stabilizer	
Tergitol™	Patch test on human volunteers did not demonstrate sensitisation properties.

No data available for other ingredients listed in subsection 3.2.

sds/Rev.17

## (e) Germ cell mutagenicity

Ingredient	Test/Result
2-Chloroacetamide	Hamster, lungs – Negative
	Mouse, male and female – Negative
MIT	Ames test:
	Salmonella typhimurium – Negative,
	Mouse – Negative, Rat – Negative
SeramunBlau® Fast2	Based on available data, classification criteria are not met
No data available for other ingi	redients listed in subsection 3.2.

246 Hig/kg | Kat

## (f) Carcinogenicity

Ingredient	Test/Result
Antifoam A	IARC: No component of this product present at levels
2-Chloroacetamide	≥0.1% is identified as probable, possible or confirmed
MIT	human carcinogen by IARC
Tergitol™	
SeramunBlau® Fast2	Based on available data, classification criteria are not met

No data available for other ingredients listed in subsection 3.2.

# (g) Reproductive toxicity

Ingredient	Test/Result
2-Chloroacetamide	Suspected human reproductive toxicant
SeramunBlau® Fast2	Toxic for reproduction category 1 - May damage fertility or the unborn child.

No data available for other ingredients listed in subsection 3.2.

## (h) STOT-single exposure

Ingredient	Test/Result
SeramunBlau® Fast2	Based on available data, classification criteria are not met

No data available for other ingredients listed in subsection 3.2.

## (i) STOT-repeated exposure

Ingredient	Test/Result
SeramunBlau® Fast2	Based on available data, classification criteria are not met

No data available for other ingredients listed in subsection 3.2.

### (j) Aspiration hazard

SeramunBlau® Fast2 Based on ava	ilable data, classification criteria are not met

No data available for other ingredients listed in subsection 3.2.

## **SECTION 12: Ecological information**

The kit components have not been tested for their ecological effects, therefore no information is known for these mixtures. The following ecological data is known for ingredients listed in subsection 3.2:

## 12.1 Toxicity

\*Definitions can be found in section 16

Ingredient	Toxicity to	Measurement*	Value
2-	Fish	LC <sub>50</sub>	19.8 mg/L (96h)
Chloroacetamide	(Carassius auratus (goldfish))		
	Daphnia	EC <sub>50</sub>	14 mg/L (48h)
	(Daphnia magna (water flea))		
MIT	Fish	LC <sub>50</sub>	4.77 mg/L (96h)
	(Oncorhynchus mykiss		
	(rainbow trout))		
	Daphnia	EC <sub>50</sub>	2.33 mg/L (48h)
	(Daphnia magna (water flea))		
	Algae	ErC <sub>50</sub>	0.289 mg/L (72h)
	(Pseudokirchneriella		
	subcapitata (green algae))		

Ingredient	Toxicity to	Measurement*	Value
Sodium Azide	Fish	LC <sub>50</sub>	0.70 mg/L (96h)
	(Lepomis macrochirus (bluegill		
	sunfish))		
	Daphnia	EC <sub>50</sub>	4.2 mg/L (48h)
	(Daphnia pulex (water flea))		
	Algae	IC <sub>50</sub>	272 mg/L
	(mixed culture of green algae)		
	Microorganisms	EC <sub>50</sub>	38.5 mg/L
	(Photobacterium		
	phosphoreum)		
Stabilzyme®	Fish	LC <sub>50</sub>	0.19 mg/L
HRP Conjugate	(Oncorhynchus mykiss		
Stabilizer	(rainbow trout))		
	Daphnia & other aquatic	EC <sub>50</sub>	0.028 mg/L
	invertebrates (Crassostrea		
	virginica (eastern oyster))		
	Algae	EC <sub>50</sub>	0.018 mg/L (72h)
	(Raphidocelis subcapitata		
	(green algae))		

No data available for other ingredients listed in subsection 3.2.

## 12.2 Persistence and degradability

Ingredient	Test/Result
2-Chloroacetamide	Biodegradability: aerobic, exposure time 28 days
	Results: 94% - Readily degradable
MIT	Biodegradability: aerobic, exposure time 28 days
	Results: 0% - Not readily degradable
Stabilzyme® HRP	Not rapidly degradable
Conjugate Stabilizer	
Tergitol™	Result: >60% - Readily biodegradable

No data available for other ingredients listed in subsection 3.2.

## 12.3 Bioaccumulative potential

_	2104004111411110   0010111411	
	Ingredient	Test/Result
	SeramunBlau® Fast2	No indication of bioaccumulation potential
	Sodium Azide	Partition coefficient: n-octanol/water - log Pow: 0.3 (Bioaccumulation is not expected)
	Stabilzyme® HRP Conjugate Stabilizer	Log Kow: >5 (significant bioaccumulation)

No data available for other ingredients listed in subsection 3.2.

## 12.4 Mobility in soil

No data available.

#### 12.5 Results of PBT and vPvB assessment

Ingredient	Test/Result
Antifoam A,	This substance/mixture contains no components
2-Chloroacetamide	considered to be either persistent, bioaccumulative and
MIT, Sodium Azide,	toxic (PBT), or very persistent and very bioaccumulative
Tergitol™	(vPvB) at levels of ≥0.1%

No data available for other ingredients listed in subsection 3.2.

#### 12.6 Other adverse effects

The concentrations of ingredients listed in subsection 3.2 are below the acceptable limit for hazardous substances; the ecological risk is minimal. However, it is recommended that reagents do not enter drains in large quantities.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Chemical and biological residues are classified as special waste and as such, are covered by regulations which may vary according to location. Contact your local waste disposal authority for advice or pass to a licensed disposal company. Observe all national and local environmental regulations. Contaminated packaging should be disposed of using the same routes.

#### **SECTION 14: Transport information**

This product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

Transport of this product can be carried out at ambient temperature but in the event of delays store at  $2-8^{\circ}$ C with all reagents contained within the packaging provided.

## 14.1 UN number

Not applicable.

## 14.2 UN proper shipping name

Not applicable.

# 14.3 Transport hazard class(es)

Not applicable.

## 14.4 Packing group

Not applicable.

## 14.5 Environmental hazards

Not applicable.

## 14.6 Special precautions for user

See sections 6 to 8.

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code Not applicable.

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

None known.

## 15.2 Chemical safety assessment

Not applicable.

#### **SECTION 16: Other information**

This SDS has been compiled in accordance with Commission Regulation (EC) No. 1907/2006 as amended by Commission Regulation (EU) 2015/830.

All information provided on ingredients listed in subsection 3.2 has been obtained from the appropriate chemical safety data sheets.

Full text of precautionary statements (listed in subsection 2.3) and hazard statements (listed in subsection 3.2) according to Regulation (EC) No. 1272/2008:

P233: Keep container tightly closed.

P270: Do not eat, drink or smoke when using this product.

P281: Use personal protective equipment as required.

P301 + P330 + P331: IF SWALLOWED rinse mouth. Do NOT induce vomiting.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P304 + P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.

H290: May be corrosive to metals.

H300: Fatal if swallowed.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H310: Fatal in contact with skin.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H330: Fatal if inhaled.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H335: May cause respiratory irritation.

H360: May damage fertility or the unborn child.

H361f: Suspected of damaging fertility.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

EUH032: Contact with acids liberates toxic gas.

#### **Definitions:**

**LC50:** The lethal concentration of a substance that kills 50% of the test population within a designated period.

**LD50:** Lethal dose for 50% of the test population.

**EC50:** The effective concentration of a substance that causes adverse effects in 50% of the test population within a designated period.

**ErC50:** The concentration of a substance which results in 50% reduction in growth rate of the test population relative to the control within 72 hours exposure.

**IC50:** The inhibition concentration of a substance that causes a 50% inhibition of growth of the test population relative to the control within a designated period.

**STEL:** Short term exposure limit (15 minute reference period).

**TWA:** Time weighted average, long term exposure limit (8 hour reference period).

The above information is believed to be correct but does not purport to be all-inclusive and is provided for guidance only DLD Diagnostika GmbH shall not be held liable for any damage or injury resulting from handling or from contact with the above product and assumes no responsibility to the accuracy or completeness of the data contained herein. It is the responsibility of the purchaser to ensure that laboratory workers who use this product are aware of its hazards and take all necessary precautions to prevent contact, ingestion, inhalation or any other mode of exposure.

Date: 11th May 2021 TSH Receptor Antibody ELISA sds/Rev.17 Page 8 of 8